

# **ACT Practice Test 004**

29 Multiple choice questions (and, detailed solutions)



Mathplane.com

Topics include linear equations, geometry shapes, word problems, trig ratios, imaginary numbers, factors, radicals, and more.



# Questions -→

(Try to answer in 30 minutes)

If a = 3 and b = 6, then what is y?

- a) 4
- b) 5
- c) 8
- d) 11
- e) 12

2) f(x) = -2x + 4

$$f(3y) =$$

- a) -6y + 4
- b) -6y + 12
- c) -6y 12
- d) 4
- e) -6xy + 4

3) If the following right triangle were rotated around the x-axis, the resulting cone would have a base radius

- a) 3
- b) 4
- c) 5
- d) 6
- e) 8



4) In the system, 2x + 3y = 6x - 2y = 10, the sum of x and y is:

- a) 2
- b) 4
- c) 8
- d) 10
- e) 12

5) How much wrapping paper is needed to cover a boxed gift 3" by 5" by 1 foot?

- a) 15 sq inches
- b) 48 sq inches
- c) 76 sq inches
- d) 180 sq inches
- e) 222 sq inches

- a) 3
- b) 6
- c) 20
- d) 60
- e) 120
- 7) 34.50 x .0002 =
  - a) 6.9 x 10 <sup>-4</sup>
  - b) 6.9 x 10<sup>-3</sup>
  - c) 6.9 x 10<sup>-2</sup>
  - d) 6.9 x 10<sup>3</sup>
  - e) 6.9 x 10 <sup>4</sup>
- 8) 30 is 2% of what number?
  - a) 60
  - b) 600
  - c) 6000
  - d) 1500
  - e) 15000
- 9)  $(2x-7)^2 =$ 
  - a) 4x 49
  - b) 4x + 49
  - c)  $4x^2 + 49$
  - d)  $4x^2 18x + 49$
  - e)  $4x^2 28x + 49$
- 10) The center of a circle is at the origin. If (-4,6) lies on the circle, the length of the radius is
  - a) 2
  - b) 10
  - c)  $\sqrt{10}$
  - d) 2/√5
  - e) 2/\sqrt{13}

- a) x y = 5
- b) x y = -5
- c) y = x + 5
- d) (y+3) = (x+7)
- e) (y + 5) = -(x + 1)

12) What is the minimum value (y) in the curve  $y = 3(x - 4)^2 + 1$ ?

- a) -12
- b) -4
- c) 1
- d) 3
- e) 4


13) 
$$i(3-2i) =$$

note: 
$$i = \sqrt{-1}$$

- a) i
- b) 1
- c) 2 + 3i
- d) 2 3i
- e) -5*i*


14) Find the area of the isosceles trapezoid

- a) 76
- b) 240
- c) 300
- d) 360
- e) 390




15) The measure of angle B is

- a) 30
- b) 54
- c) 66
- d) 74
- e) 84



#### 16) If the tangent of angle A is 1/3, what is the length of the hypotenuse?

- a) 2
- b) 2 √10
- c)
- d) 18
- e) 6 √10



(The diagram of the triangle doesn't necessarily represent the true shape of the figure.)

## $17) \ \ \,$ In a geometric sequence, the 2nd term is 12 and the 4th term is 3. The seventh term is

- a) -13/2
- b) -6
- c) 3/8
- d) 1/2
- e) 3/4

### 18) Jim currently has enough money to buy 30 candy bars. If the price of a candy bar dropped by 10 cents, he could buy 4 more candy bars. How much money does he have?

- a) \$24
- b) \$24.50
- c) \$25
- d) \$25.50
- e) \$26

#### 19) How many different 4-person committees can be selected from a 10-member club?

- a) 40
- b) 210
- c) 400
- d) 1260
- e) 5040

## 20) If -10 < 3x + 6 < 5, which is *not* a possible value of x + 2?

- a) -2
- b) -1
- c) 0
- d) 1
- e) 2

- a) natural, whole, real
- b) natural, whole, integer, rational, real
- c) whole, integer, rational, real
- d) integer, rational, real
- e) integer, real
- 22)  $\log_2(\frac{1}{64})$ 
  - a) 8
  - b) -8
  - c) 6
  - d) -6
  - e) 32
- 23) Cindy wants to find out how much money she will have after 5 years if she invests \$3000 at an annual rate of 8% that is compounded quarterly. Which equation will produce the correct amount?
  - a) A =  $3000(.08)^{20}$
  - b)  $A = 3000(1.08)^5$
  - c)  $A = 3000(1.02)^{20}$
  - d)  $A = 3000(.02)^{20}$
  - e)  $A = 3000(1.02)^5$
- 24) 3|x + 5| + 7 = 1 x =
  - a) -7
  - b) -3
  - c) -7, -3
  - d) -5
  - e) no solution
- 25) If  $(x + y)^2 = 80$  and -xy = 2

then what is  $x^2 + y^2$  ?


- a) 76
- b) 78
- c) 82
- d) 84
- e) none of above


- a) in Quadrant II
- b) in Quadrant III
- c) in Quadrant IV
- d) on the x-axis
- e) on the y-axis
- 27) What is the value of h if  $\sqrt{10h-2} = 4$ 
  - a) .4
  - b) .6
  - c) 1.2
  - d) 1.4
  - e) 1.8
- 28) Which graph best represents the exponential function  $f(x) = \left(\frac{1}{2}\right)^{x-4}$ 
  - a) A
  - b) B
  - c) C
  - d) D
  - e) E







В






D





- 29) If pq = 2, then  $p^2q^3 + p^3q^5 =$ 
  - a) 12q
  - b) p<sup>5</sup>q<sup>8</sup>
  - c) p<sup>6</sup>q<sup>15</sup>
  - d) 12p + 40q
  - e)  $4q + 8q^2$



## Solutions -→

If a = 3 and b = 6, then what is y?

b) 5

e) 12

$$(3)^2 + 6 \div 3$$

order of operations: PEMDAS division precedes addition...

9 + 2

2) f(x) = -2x + 4

$$f(3y) =$$

b) -6y + 12

e) -6xy + 4

f(3y) = -2(3y) + 4

-6y + 4

replace the x with the term that is entered



d) 4

3) If the following right triangle were rotated around the x-axis, the resulting cone would have a base radius





b) 4

c) 5

d) 6

e) 8





4) In the system, 2x + 3y = 6x - 2y = 10,

the sum of x and y is:

Using elimination/combination method:

c) 8

d) 10 e) 12



2x + 3(-2) = 6

$$7y = -14$$

2x = 12

$$x + y = 6 + (-2) = 4$$

5) How much wrapping paper is needed to cover a boxed gift 3" by 5" by 1 foot?




b) 48 sq inches

c) 76 sq inches

d) 180 sq inches

e) 222 sq inches



front/back:  $3" \times 5" \times 2 = 30$  sq inches

left/right:  $3" \times 12" \times 2 = 72$  sq inches

top/bottom: 5" x 12" x 2 = 120 sq inches

222 sq inches..

- a) 3
- b) 6
- c) 20
- d) 60
- e) 120

multiples of 3: 3, 6, 9, ...

 $34.5 \times (2 \times 10^{-4}) = 69 \times 10^{-4}$ 

- 6: 6, 12, 18, ...
- common multiples include 60, 120, 180, etc..
- 20: 20, 40, 60, ...
- the *least* common multiple is 60

7) 34.50 x .0002 =

- a) 6.9 x 10 <sup>-4</sup>
- b) 6.9 x 10<sup>-3</sup>
- c) 6.9 x 10<sup>-2</sup>
- d) 6.9 x 10<sup>3</sup>
- e) 6.9 x 10 <sup>4</sup>
- 8) 30 is 2% of what number?
  - a) 60
  - b) 600
  - c) 6000
  - d) 1500

  - e) 15000

2x = 3000

x = 1500


34.5 x .0002

"2 per hundred" is equal to "30 per some number"

note: 10% of 1500 is 150 then, 1% of 1500 is 15 so, 2% of 1500 is 30

- 9)  $(2x-7)^2 =$ 
  - a) 4x 49
  - b) 4x + 49
  - c)  $4x^2 + 49$
  - d)  $4x^2 18x + 49$
  - e)  $4x^2 28x + 49$
- (2x-7)(2x-7)
- $4x^2$ First Outer -14x
- -14x Inner Last
- $4x^2 28x + 49$

- 10) The center of a circle is at the origin. If (-4, 6) lies on the circle, the length of the radius is
  - a) 2
  - b) 10
  - c)  $\sqrt{10}$
  - d) 2/√5
  - e) 2√√13



distance formula:  $d = \sqrt{(6-0)^2 + (-4-0)^2} = \sqrt{52} = \sqrt{4 \cdot 13}$ 



a) 
$$x - y = 5$$

$$y = 5$$

b) 
$$x - y = -5$$

slope of 
$$x + y = 5$$

c) 
$$y = x + 5$$

$$v = -x + 5$$

slope of perpendicular line is (opposite reciprocal): 1

d) 
$$(y+3)=(x+7)$$

e) 
$$(y + 5) = -(x + 1)$$
 -1

12) What is the minimum value (y) in the curve  $y = 3(x - 4)^2 + 1$ ?

The minimum of this parabola is the vertex...

$$y = a(x - h)^2 + k$$

the vertex of the curve is (h, k)

e) 4

13) 
$$i(3-2i) =$$


note: 
$$i = \sqrt{-1}$$

$$3i - 2i^2$$

c) 
$$2 + 3i$$
  
d)  $2 - 3i$ 

2 + 3i

- 14) Find the area of the isosceles trapezoid
  - a) 76
  - b) 240
  - c) 300
  - d) 360
  - e) 390




 $\frac{1}{2}$  (base1 + base2)height

y = 1

 $\frac{1}{2}$  (30 + 20)(12) = 300

- 15) The measure of angle B is
  - a) 30
  - b) 54
  - c) 66
  - d) 74
  - e) 84



B + 30 + 66 = 180 (sum of interior angles


of triangle = 180 degrees)

B = 84



c) 8

6 N 10



6

(The diagram of the triangle doesn't necessarily represent the true shape of the figure.)

SOLUTIONS

so, BC = 2 because 
$$\frac{BC}{AB} = \frac{1}{3} = \frac{2}{6}$$

Then, Pythagorean Theorem:

legs are 2 and 6, so hypotenuse is  $\sqrt{40}$ 

17) In a geometric sequence, the 2nd term is 12 and the 4th term is 3. The seventh term is

a) -13/2

b) -6

c) 3/8

d) 1/2

e) 3/4

The common ratio is 1/2

(also possible, -24, 12, -6, 3, -3/2, 3/4, -3/8, 3/16...)

 $\frac{3}{x} = \frac{x}{12}$ 

4th term: 3rd term = 3rd term: 2nd term

3rd term equals 6 (or, -6)

and, the common ratio is 1/2 (or -1/2)

18) Jim currently has enough money to buy 30 candy bars. If the price of a candy bar dropped by 10 cents, he could buy 4 more candy bars. How much money does he have?

a) \$24

(# of candy bars)(price) = Total Cost

b) \$24.50

(30)(original price) = Jim's money

30(P) = 34(P) - 3.4

c) \$25

(30 + 4)(original price - 10 cents) = Jim's money

3.4 = 4P

d) \$25.50

P = .85

e) \$26

And,  $30 \times .85 =$ 25.50

19) How many different 4-person committees can be selected from a 10-member club?

a) 40

b) 210

c) 400

d) 1260

e) 5040

This is a "combination" (as opposed to a permutation) because 'order doesn't matter'....

$$_{n}^{C}_{r} = \frac{n!}{r! (n-r)!}$$

20) If -10 < 3x + 6 < 5, which is not a possible value of x + 2?

a) -2

b) -1

c) 0

d) 1 e) 2 If we divide the inequality by 3, we get

-10/3 < x + 2 < 5/3

So, x + 2 is between -10/3 and 5/3... therefore

(x + 2) cannot be 2

#### 21) Which list of number sets best describes -5?

- a) natural, whole, real
- b) natural, whole, integer, rational, real
- c) whole, integer, rational, real
- d) integer, rational, real
- e) integer, real

22) 
$$\log_{2}(\frac{1}{64})$$

- a) 8
- b) -8
- c) 6
- d) -6
- e) 32

whole numbers 0, 1, 2, 3, ... do not include negative numbers...

integers include negative numbers... and, rational numbers are numbers that can be expressed as fractions containing integers...

$$\frac{-5}{1}$$
 is a rational number

#### SOLUTIONS

$$2^{X} = 64^{-1}$$

$$2^{X} = 2^{6 \cdot -1}$$

a) 
$$A = 3000(.08)^{20}$$

b) 
$$A = 3000(1.08)^5$$

c) 
$$A = 3000(1.02)^{20}$$

d) 
$$A = 3000(.02)^{20}$$

e) 
$$A = 3000(1.02)^5$$

$$A = A_0 \left(1 + \frac{\text{rate}}{n}\right)^{\text{nt}}$$

$$A = 3000(1 + \frac{.08}{4})^{4(5)}$$

$$A = Amount$$

#### A<sub>0</sub> = Initial Amount

#### t = time

n = number of time amount is compounded per year

24) 
$$3|x + 5| + 7 = 1$$
  $x =$ 

- a) +7
- b) -3
- c) -7, -3
- d) -5
- e) no solution

$$3|x + 5| = -6$$

$$|x + 5| = -2$$

since  $\mid x \pm 5 \mid \;\;$  must be positive, there is no solution..

25) If 
$$(x + y)^2 = 80$$
 and  $-xy = 2$ 

then what is 
$$x^2 + y^2$$
 ?

- a) 76
- b) 78
- c) 82
- d) 84
- e) none of above

$$x^2 + 2xy + y^2 = 80$$

$$cv = -2$$

$$x^2 + 2(-2) + y^2 = 80$$

$$x^2 + y^2 = 84$$

26) An angle in standard position in the xy-coordinate plane measures 170 degrees. The terminal side of the angle is



ACT Practice Test 004

- a) in Quadrant II
- b) in Quadrant III
- c) in Quadrant IV
- d) on the x-axis
- e) on the y-axis



- "initial side" lies on x-axis
- "terminal side" lies in quadrant II

- 27) What is the value of h if  $\sqrt{10h-2} = 4$ 
  - a) .4
  - b) .6
  - c) 1.2
  - d) 1.4
  - e) 1.8

square both sides: 10h - 2 = 16

$$10h = 18$$

$$h = 1.8$$

28) Which graph best represents the exponential function  $f(x) = \left(\frac{1}{2}\right)^{x-4}$ 



Since the growth factor  $(\frac{1}{2})$ 

#### b) B

is between 0 and 1, this is a decay function ("slopes downward")

#### c) C

So, it cannot be A or D...



B has been reflected over the x-axis, implying a negative coefficient...


e) E

x - 4 indicates a shift to the right.. E shifts down...











D



В



29) If pq = 2, then  $p^2q^3 + p^3q^5 =$ 



b) 
$$p^{5}q^{8}$$

d) 
$$12p + 40q$$

e) 
$$4q + 8q^2$$


 $p^{\,2}\,q^{\,2}\,q \,+\, p^{\,3}\,q^{\,3}\,q^{\,2}$ 

$$(pq)^2q + (pq)^3q^2$$

$$(2)^2 q + (2)^3 q^2$$

$$4q + 8q^2$$


## So, how did you do? Want more test prep questions?



Available at Mathplane.com. Just contact us or visit the Travel Log section to order the complete packet. (\$5 for .pdf or .docx format)

The 80+ page packet is a compilation of free, posted material from the site. Your support will go toward site maintenance and improvement (and treats for Oscar the dog!).

## Thanks for visiting!



Also at Facebook, Google+, TeachersPayTeachers, TES, and Pinterest