
# Modeling Functions using One Variable

Notes, graphs, examples, and practice quiz (with solutions)



Topics include parabola & vertex, area, volume, derivatives, revenue/cost, factoring quadratics, and more.

Mathplane.com

Example: A homeowner wishes to enclose/fence in 3 plots of land, 80 square feet each.

- a) Write an equation that expresses Perimeter as a function of x
- b) Write an equation that expresses Area as a function of x
- c) If he has 88 feet of fence, what are the dimesions of each lot?

Step 1: Draw a picture and label parts

length

width

80 sq ft	80 sq ft	80 sq ft				

#### Step 2: Develop the equations

Let x = widthLet y = length

Area = xy

Perimeter = 2y + 4x

There is 88 feet of fence, so 88 feet = 4x + 2y

$$88 \text{ feet} - 4x = 2y$$

or 
$$y = 44 - 2x$$

Each plot is 80 sq. feet, so 80 sq. feet =  $x \cdot (1/3)y$ 

or 
$$y = \frac{240}{x}$$

 $P=2y+4x.. \ this \ is \ perimeter \ as \ a \ function \ of \ x \ and \ y.. \ .$  We need to get rid of the y!

$$P = 2y + 4x$$
 and  $y = \frac{240}{x}$ 

Using substitution,

Using the variables and equations on the left, we can create functions of one variable...

a) 
$$P(x) = \frac{480}{x} + 4x$$

A = xy... this is area as a function of x and y We want to get rid of the y variable...

$$A = xy$$
 and  $y = 44 - 2x$ 

Using substitution,

b) 
$$A(x) = x(44 + 2x) = 44x - 2x^2$$

### Step 3: Solve

If he has 88 feet of fencing, we know that P(x) = 88

$$88 \text{ feet} = \frac{480}{x} + 4x$$
$$88x = 480 + 4x^2$$


$$4x^2 - 88x + 480 = 0$$

$$x^2 - 22x + 120 = 0$$

$$(x-10)(x-12)=0$$

$$x = 10 \text{ or } 12$$

c) The dimensions of each lot are 10 x 8 OR 12 x 20/3



### Step 4: Answer the question and check

If 
$$x = 10$$
, then  $y = 24$   
10 x 8 and  $(1/3)y = 8$ 

area of each plot: 80 total fencing: 88

If 
$$x = 12$$
, then  $y = 20$   
 $12 \times 20/3$  and  $(1/3) = 20/3$ 

Modeling functions of one variable:

Area/Perimeter Problem

area of each plot:  $12 \times (20/3) = 80$  total fencing: 4(12) + 2(20) = 88

nathplane.com


Example: An open box with a square base has volume 15 feet3.

- a) Write a function that models the surface area of the box (as a function of the base side (x)).
- b) What is the domain of x?
- c) What dimensions would minimize the amount of material needed to build the box?
- d) What is the surface area of the minimized box?

Step 1: Draw a diagram and label

The base is a square, so the four sides are equal (x)

And, the height is (h)



Step 2: Write the relevant functions

$$15 = x^2 h$$

$$SA = x^2 + 4xh$$

Step 3: Use substitution to get the desired function

Our desired function is "surface area as a function of the base side"...

Right now, we have surface area as a function of x and h...

We need to get rid of the h...

since 
$$15 = x^2 h_1$$
  $h = \frac{15}{x^2}$  therefore,  $SA = x^2 + 4x(\frac{15}{x^2})$  a)  $SA = x^2 + \frac{60}{x}$ 

$$SA = x^2 + 4x(\frac{15}{x^2})$$

a) 
$$SA = x^2 + \frac{60}{x}$$

If we look at the surface area and volume, we can determine the domain of x...

$$SA = x^2 + \frac{60}{x}$$
 so, x cannot be 0...

since x is a length, x cannot be negative...

b) domain of SA(x) is (0, ∞)

Step 4: Solve equation/find the minimum value

method 1: use a graphing calculator...

At the right, is the graph of the function... We elimate the minimum values left of the y-axis (because they are not within the domain)...

The minimum value is when x = 3.11

If 
$$x = 3.11$$
, then  $h = 1.55$  [because  $(3.11)^2(1.55) = 15$ 

c) So, the dimensions are 3.11 x 3.11 x 1.55

method 2: use calculus


Find 1st derivative: 
$$SA'(x) = 2x - \frac{60}{x^2}$$

Then, determine 'critical values'...

$$0 = 2x - \frac{60}{x^2}$$
$$0 = 2x^3 + 60$$

$$SA'(x)$$
 is undefined at  $x = 0$  and,

$$SA'(x) = 0$$
 when  $x = \sqrt[3]{30} = 3.107$ 



$$SA(3.107) = (3.107)^2 + \frac{60}{(3.107)} = 28.96$$

$$SA = (3.107)^2 + 4(3.107)(1.55) = 28.91$$

d) the minimum surface area is 29 feet approximately

Example: A math center charges \$400 for a course, and they get 750 students. For every \$25 increase in price, they lose 30 students.

What price would maximize revenue?

What is the domain and range?

Since we want to 'maximize revenue', we start with a revenue function..

Then, use the details in the question to fill in the variables and constraints...

$$(400 + 25x)(750 - 30x) = R(x)$$

price

quantity revenue

(where x is the number of \$25 increases)

method 1: use midpoint of zeros

$$400 + 25x = 0$$
  $x = -16$ 

$$400 + 25x = 0$$
  $x = -16$ 

$$750 - 30x = 0$$
  $x = 25$ 

axis of symmetry of 4.5

method 2: -b/2a

change to standard form and find (-b/2a, f(-b/2a))

$$300000 + 6750x - 750x^2$$

$$\frac{-6750}{2(-750)} = 4.5$$


4.5 increases would lead to a price of

$$(400 + 25(4.5)) = 512.50$$

4.5 increases would lead to a quantity of

$$(750 + 30(4.5) = 615$$

revenue = \$315,187.5



domain:  $-16 \le x \le 25$ 

After 16 price decreases, the price would be 0... (Free items don't have revenue!) After 25 price increases, there will be no sales...

range:  $0 \le y \le 315,187.5$ 

Quadratic vertex example (finding maximum)

Example: The volume of a metal box is 30 cubic feet. If the length is 5 feet greater than the height and the width is 2 feet less than the height, what are the dimensions of the box?

Modeling function of one variable: Volume

Volume = length x width x height

30 ft 
$$^3 = (h + 5)$$
 feet •  $(h - 2)$  feet •  $(h)$  feet

$$h(h + 5)(h - 2) = 30$$

combine 1st and 2nd terms

$$(h^2 + 5h)(h - 2) = 30$$

FOIL

$$h^3 + 3h^2 - 10h = 30$$

Set equal to zero

$$(h^3 + 3h^2 - 10h - 30) = 0$$

solve for h (by grouping)


$$h^2(h+3) - 10(h+3) = 0$$

 $(h+3)(h^2-10)=0$ 

$$h + 3 = 0$$
  $h = -3$ 

$$h^2 - 10 = 0$$
  $h = \sqrt{10}$ 


$$h = -\sqrt{10}$$



Since height cannot be negative, our solution is h =

the solution is 
$$h = \sqrt{10}$$
 (approximately 3.16)

so, the dimensions of the box are approximately 8.16 x 1.16 x 3.16



V(h) = 30

Note: Height (h) cannot be negative, and Volume (V(h)) cannot be negative

Therefore, the domain is h > 2

The volume 30 occurs when h = 3.16(the intersection of the line and the curve) We ignore -3.16, because height cannot be negative...

Example: The profit model of a manufacturer is  $P(x) = 75x + 3x^2 - .015x^3 - 1960$ where x is the number of toys that are produced

Analyzing a cubic model of a toy manufacturer

a) What is the break-even production level?

(16.3, 0) is the first x-intercept... So, the company loses money on the 16th toy... But, makes money producing 17 toys...

(Also, the company 'breaks even' at producing the 220 toys, although it's unlikely a rational company would produce that many toys.)

b) What is the maximum profit?

The maximum profit occurs at the local maximum..

26,261

c) What is the domain of this function?

The domain of this curve is all real numbers.. HOWEVER, there are no "negative" numbers of toys... And, presumably the manufacturer will stop producing toys when it becomes a loss.. [0, 220] (also, a company doesn't have enough resources to produce infinite toys!)

d) What levels of production does this manufacturer lose money?

$$0 \le x \le 17$$
 or  $x \ge 220$  (where x is an integer)


e) What are the manufacturer's fixed costs?

\$1960 is the fixed cost, because that is the amount the manufacturer loses if it produces 0 toys. (the y-intercept)


x-intercepts: (16.33, 0) and (220.03, 0)

y-intercept: (0, -1960)

local max: (145, 26,261)



mathplane.com




# Practice Quiz-→

- a) Express the quantity Q as a function of only x.
- b) What is the minimum quantity of Q?

- 2) Assume you have 60 feet of fencing material.
  - a) What is the maximum area you could enclose?
  - b) What are the dimensions of the closed area?


- 3) A math farmer is going to build a pen using 240 meters of wood. One side of the pen will border a barn, and there will be a wooden divider to separate the pen into 2 parts.
  - a) Write a function A(x) expressing area as a function of the width x
  - b) What is the maximum area of the pen?



- a) What are the dimensions of the container that will minimize the weight?
- b) What is the surface area of the container?

- 5) Suppose you have a 10' x 20' piece of cardboard.

  If you wanted to make an open rectangular box (by cutting out the corners & folding up the sides),
  - a) what dimensions would create a box with the largest volume?
  - b) what is the maximum volume?



6) You operate a tour company that accommodates 60 - 90 people.

You charge the following rates:

\$200 per person


If more than 60 people sign up, the rate drops \$2 per person for each additional person after 60... If less than 60 people sign up, the tour is cancelled.

The cost of each tour is \$6000 plus \$32 per person. a) Write an equation that shows profit as a function of people

- b) How many people would maximize your profit?
- c) What is your maximum profit?


7) A building's window frame shaped as a rectangle with a semicircle is constructed with 28 feet of wood.

Which dimensions would maximize the light shining inside the building?




Modeling Quiz

You want to embed a brick border around the entire pool. You have 240 square feet of bricks, and the border will have a uniform width, what will the width of the border be?



9) A golf ball travels in a parabolic arch for 270 yards from the tee to the point of contact on the green. If the ball was 60 feet high when it had traveled 50 yards, what was the golf ball's maximum height?



# SOLUTIONS-→

- a) Express the quantity Q as a function of only x.
- b) What is the minimum quantity of Q?
- a) Since Q is a function of x and y, let's change to 1 variable....

x + y = 5  $\longrightarrow$  y = 5 - x then, substitute into the main equation...

$$Q = 2x^2 + 3(5 - x)^2$$

$$Q = 2x^2 + 75 - 30x + 3x^2$$

$$Q = 5x^2 - 30x + 75$$

b)  $Q = 5x^2 - 30x + 75$  is a parabola that faces up.

The minimum quantity will occur at the vertex!

The axis of symmetry:  $\frac{-b}{2a} = \frac{-(-30)}{2(5)} = 3$ 

Since the minimum occurs at x = 3,

the minimum quantity is 
$$5(3)^2 - 30(3) + 75 = 30$$

Quick Check:

minimum occurs at 
$$x = 3$$

because x + y = 5

and, therefore, 
$$y = 2$$

$$Q = 30$$

 $Q = 2(3)^2 + 3(2)^2$ 

If 
$$x = 2$$
 and  $y = 3$ ,

then, 
$$Q = 35$$

If 
$$x = 4$$
 and  $y = 1$ 

then, 
$$Q = 35$$

- 2) Assume you have 60 feet of fencing material.
  - a) What is the maximum area you could enclose?
  - b) What are the dimensions of the closed area?

Step 1: Establish variables and formulas


Perimeter = 
$$60$$
  
Perimeter =  $2x + 2y$ 

$$60 = 2x + 2y$$

$$30 = x + y$$

$$y = 30 - x$$

Step 1a: Draw a diagram



Step 2: Write the equation you wish to maximize.

We want to maximize the area:

The following is the Area as a function of x,

$$A(x) = xy$$

$$A(x) = x(30 - x)$$

$$A(x) = -x^2 + 30x$$


Step 3: Solve and answer the questions

This is a parabola that faces down, so the maximum occurs at the vertex...

Since the zeros (x-intercepts) are at 0 and 30, the vertex occurs at the midpoint: 15

Since 
$$x = 15$$
,  $y = 15$ 

- a) Area = 225 square feet
- b) dimensions: 15' x 15'



Area = xy

'Main Function' that we want to maximize

$$240 = 3x + y$$
 'Constraint Function'

Using substitution, we make Area as a function of x

$$Area = x(240 - 3x)$$

$$A = 240x - 3x^2$$

a) 
$$A(x) = -3x^2 + 240x$$
 where x is the width...


To find the maximum algebraically, we look for the vertex:

$$\frac{-b}{2a} = \frac{-240}{2(-3)} = 40$$


Since 
$$x = 40$$
,  $A(40) = -3(40)^2 + 240(40) = 4800$   
OR

Since x = 40, 240 = 3(40) + y... So y = 120... therefore, the Area = (40)(120) = 4800..

b) Maximum Area of pen: 4800 square meters




- a) Write a function A(x) expressing area as a function of the width x
- b) What is the maximum area of the pen?



- 4) You're contracted to build a square-based 600 cubic foot container made of steel. Assuming the construction is an open-top container,
  - a) What are the dimensions of the container that will minimize the weight?
  - b) What is the surface area of the container?

Step 1: Draw a diagram and label



(since it is square-based, the length and width are equal)

Step 3: Find minimum of function!

$$SA = \frac{2400}{x} + x^2$$

Using Calculus 
$$SA' = \frac{-2400}{x^2} + 2x$$

(set derivative equal to zero) to find critical values

$$\frac{-2400}{x^2} + 2x = 0$$
 (multiply by  $x^2$ )


$$2x^{3} - 2400 = 0$$
$$x^{3} = 1200$$

$$x = 2 \sqrt[3]{150} \text{ fee}$$

x = 10.63 feet (approximately)

Step 2: Establish formulas

Volume = (length)(width)(height)




Surface Area = 4. (area of each side) + (area of bottom)  $SA = 4xy + x^2$ 

\*\*Since we are trying to minimize surface area, we will try to set up SA in terms of one variable (x)

$$y = \frac{600}{v^2}$$

therefore, 
$$SA = 4x \left(\frac{600}{x^2}\right) + x^2$$

Using a Graph




Step 4: Answer the questions:

a) What are the dimensions?

Since x = 10.63, 
$$y = \frac{600}{(10.63)^2} = 5.31$$
 (approximately)

b) What is the surface area of the container?

SA = 
$$4xy + x^2$$
  
=  $4(10.63)(5.31) + (10.63)^2$   
=  $338.78$  square feet



(note: the cut-out corners must be squares; otherwise, the top of the open box will be uneven)

5) Suppose you have a 10' x 20' piece of cardboard.

If you wanted to make an open rectangular box (by cutting out the corners & folding up the sides),

- a) what dimensions would create a box with the largest volume?
- b) what is the maximum volume?

Step 1: Label the diagram and write formulas

Area of cardboard box = (length)(width)

(original length)(original width) = 200 sq. ft.

Volume of open box = (length)(width)(height)

$$(20-2x)(10-2x)(x)$$

Step 2: Establish function


Since we want to maximize volume,

$$V = (20 - 2x)(10 - 2x)(x)$$

$$V = (20 - 2x)(10x - 2x^2)$$

$$V = 200x - 40x^2 - 20x^2 + 4x^3$$

$$V = 4x^3 - 60x^2 + 200x$$



#### Solve with Calculus

(To find critical value -- max/min --set first derivative equal to zero)

$$V' = 12x^{2} - 120x + 200 = 0$$
$$3x^{2} - 30x + 50 = 0$$

(quadratic formula)

$$x = \frac{30 + \sqrt{900 - 600}}{6}$$

(all other values are impossible)

extraneous!  $2 \times 7.9 = 15.8$ 15.8 > the width! Step 3: Answer the questions

a) What dimension creates the maximum volume?

$$x = 2.1$$
 (cut out 2.1' x 2.1' in each corner)  
length =  $20 + 2x = 15.8$  feet  
width =  $10 + 2x = 5.9$  feet

b) Volume = length x width x height

You charge the following rates:

\$200 per person

If more than 60 people sign up, the rate drops \$2 per person for each additional person after 60...

If less than 60 people sign up, the tour is cancelled.

The cost of each tour is \$6000 plus \$32 per person.

- a) Write an equation that shows profit as a function of people
- b) How many people would maximize your profit?
- c) What is your maximum profit?

Step 1: Transform above description into math equations:

let 
$$p = \#$$
 of people

$$Cost = $6000 + $32p$$

Revenue = 
$$p(\$200 - \$2(p - 60))$$

Step 3: answer questions

b) What is the optimal number of people: p = 72

c) What is your maximum profit?

Discount: 12 people over 60 ---- \$24 discount/person

Total revenue: \$12,672

Cost: 
$$$6000 + $32(72 \text{ people}) = $8304$$

#### 7) A building's window frame shaped as a rectangle with a semicircle is constructed with 28 feet of wood.

Which dimensions would maximize the light shining inside the building? To maximize the light, we need to maximize the area of the window.

'Main function to optimize': Area = 
$$2xy + \frac{1}{2}\pi x^2$$

$$ea = 2xy + \frac{1}{2} ||x||$$
rectangle semicircle

Perimeter = 
$$2x + 2y + \frac{1}{2} \cdot 2 \pi x$$

$$28' = 2x + 2y + 1Tx$$

$$y = \frac{28! - 2x - \pi x}{2}$$

Use substitution and combine the equations

Area = 
$$2x(\frac{28^{2}-2x-\pi x}{2}) + \frac{1}{2}\pi x^{2}$$

Area = 
$$28x - 2x^2 - \pi x^2 + \frac{1}{2}\pi x^2$$

$$A(x) = 28x - 2x^2 - \frac{1}{2} \pi x^2$$

$$\frac{2}{2a} = \frac{2}{2(-3)}$$

To maximize, set derivative equal to zero....

$$A' = 28 - 4x - \pi x$$
  
 $0 = 28 - 4x - \pi x$ 

$$28 = 4x + \pi x$$

$$x = \frac{28}{(4 + \pi)} = 3.92 \text{ fee}$$

Step 2: Write the equation you're seeking to maximize

Profit = 
$$p(\$200 - \$2(p-60)) - [\$6000 + \$32p]$$

$$= $200p - $2p^2 + $120p - $6000 - $32p$$

$$=$$
  $\$-2p^2 + \$288p - \$6000$ 

a) 
$$P(p) = \begin{cases} 0 & \text{if } 0 \le p < 60 \\ -2p^2 + 288p - 6000 & \text{if } 60 \le p \le 90 \end{cases}$$

SOLUTIONS

Take derivative: 
$$\frac{dProfit}{dp} = -4p + 288$$

OR, find the vertex in the parabola...

Set equal to zero to find max/min: 
$$-4p + 288 = 0$$

$$\frac{-b}{2a} = \frac{-(288)}{2(-2)} = 72$$

Modeling Quiz


Step 4: Check your answer

Discount: 
$$(11 \times \$2) \times 71 = -\$1562$$
 Pr  
Cost:  $\$6000 + (\$32 \times 71) = -\$8272$ 

Profit: \$4366

#### 72 tourists: Profit: \$4368

Profit: \$4366



Area of rectangle:

$$(2x)(y)$$
  
  $2(3.92)(3.92) = 30.7$ 

Area of semicircle:

$$\frac{1}{2} \prod (3.92)^2 = 24.1$$

Total Area: 54.8


$$0 = 28 - 4x - 11x$$

$$28 = 4x + \pi x$$

$$y = \frac{28' - 2(3.92') - \pi(3.92')}{2}$$

$$x = \frac{28}{(4 + \pi)} = 3.92 \text{ feet}$$

$$y = \frac{28' - 7.84' - 12.32'}{2} = 3.92 \text{ feet}$$



Dimensions:


Left side: 3.92 feet


total: 28 feet Right side: 3.92 feet

Arch: 3.92 <sup>↑</sup> feet

#### SOLUTIONS

You want to embed a brick border around the entire pool. You have 240 square feet of bricks, and the border will have a uniform width, what will the width of the border be?





9) A golf ball travels in a parabolic arch for 270 yards from the tee to the point of contact on the green. If the ball was 60 feet high when it had traveled 50 yards, what was the golf ball's maximum height?

Here's what we know... The golf ball travels in a *parabolic* arch...


It goes 270 yards (x)...

When it is 50 YARDS away, it was 60 FEET high...
(note the units!)

The sketch shows 3 points.. (0, 0), (50, 20), and (270, 0)

So, we have the two intercepts: (0, 0) and (270, 0)

and, a point: (50, 20)



So, we'll create a quadratic in intercept form....

$$y = a(x - 0)(x - 270)$$

to find a, we'll substitute (50, 20):

$$20 = a(50 - 0)(50 - 270)$$

$$20 = -11,000a$$

$$a = \frac{-1}{550}$$

equation of parabola:

$$y = \frac{-1}{550}(x)(x - 270)$$

Note: (0, 0), (270, 0) and (50, 20) all fit in the equation...

Once we have the equation, we can see the vertex (max height of the ball) occurs at the midpoint of 0 and 270 ---> 135


The last step:; If x = 135, what is y?

$$y = \frac{-1}{550} (135)(-135) = 33.136 \text{ yards...}$$

Thanks for visiting. (Hope it helped!)

If you have questions, suggestions, and requests, let us know.

### Cheers



Also, at Facebook, TeachersPayTeachers, TES, Google+, and Pinterest

And, Mathplane Express for mobile at mathplane.ORG